

SOUTHERN MANITOBA (& CHURCHILL) TRIP LISTS

1986 – 2009



**Le Conte's Sparrow @
Paul Nistico, June 2007**



**Spruce Grouse @
Paul Nistico, June 2007**



**Connecticut Warbler @
John Boyd, June 2006**

Prepared by

Jeri M. Langham

VICTOR EMANUEL NATURE TOURS, INC.
2525 WALLINGWOOD DR., STE 1003, AUSTIN, TX 78746
www.ventbird.com

Sample of photos taken on the 2009 Southern Manitoba tour



Lesser Black-backed Gull



American Redstart



Evening Grosbeaks



Great Gray Owl



Baltimore Oriole




American Avocet



Northern Waterthrush




Sprague's Pipit



Le Conte's Sparrow




Sharp-tailed Grouse




Clay-colored Sparrow



Franklin's Gull



Scarlet Tanager



Gray Jay




Wilson's Snipe



Common Loon



Virginia Rail



Chestnut-collared Longspur



Yellow-throated Vireo



Red foxes



Yellow-headed Blackbird



Red-necked Grebe



Bison



Elk



Black bear

Sample of photos taken on the 2009 Churchill tour



Gray Jay



Long-tailed Duck



Muskrat




Red fox



Bonaparte's Gull



Greater White-fronted Goose



Arctic hare



Glaucous Gull



Orange-crowned Warbler



Pine Grosbeak



White-winged Scoters



Northern Waterthrush



Pacific Loon




Common Eider



Red-necked Phalarope



Female and male Willow Ptarmigans



Harris's Sparrow



Hoary Redpoll



Snow Bunting



American Golden-Plover



Lesser Yellowlegs



Black Scoters



Barren ground caribou



Red or Taiga Fox Sparrow

Design by Jeri Langham - photos by Jennifer Green (12), Justin Scott (11) & Don Green (2).

This **TRIP LIST** is designed for potential participants interested in VENT tours to **SOUTHERN MANITOBA** and/or **CHURCHILL** led by Jeri M. Langham. It includes all 391 species that have been accepted by the Manitoba Ornithological Records Committee for the entire Manitoba Province as of 2009 (most recently published list). The order of families and common names are those given by the American Ornithologists' Union *Check-list of North American Birds*, 7th edition and incorporates changes through the 49th Supplement. Species with an asterisk (*) preceding their name, need written descriptions and/or photographs submitted to Rudolf Koes, 135 Rossmere Crescent, Winnipeg, MB R2K 0G1.

For twenty-three years (until 2009), this was a single tour. When the VIA Rail train from Thompson to Churchill became unreliable (7 hours late in 2008) due to problems with the tracks, Victor decided to cancel the Thompson visit and train ride from Thompson to Churchill (the train we would have been on was turned back) and divide the tour into two tours that can be taken separately or together. Some of you might sign up for only one of these and some for both. If you only sign up for one of them, this list should help you see what you will be missing by not doing both. *It is important to mention that Ross's Gull is no longer reliable at Churchill as it was for many decades. However, there is so much more to see and experience in this unique habitat where tundra and taiga meet along Hudson Bay.*

Before signing up for a tour, many participants like to know their chances of seeing certain birds. The column labeled "**Both Tours**" indicates the *species seen (x) or only heard (h) in 2009 by those participants who were on both tours*. The column labeled "**All 24 Years**" indicates how many of my **TWENTY-FOUR** tours have seen or just heard each species. If there are two numbers, the first is tours on which it was seen and the second, tours on which it was only heard. This provides you with a very realistic idea of your chances of seeing your most wanted Manitoba birds if you take **BOTH** tours.

The column labeled "**S. Manitoba**" indicates those species seen (x) or only heard (h) on the 2009 SOUTHERN MANITOBA TOUR. We were almost completely rained out of the one-day in SW Manitoba so missed about 10 normally seen species. The column labeled "**Churchill**" indicates those species seen (x) or only heard (h) on the 2009 CHURCHILL TOUR. Winter was so late in 2009, that half the roads were inaccessible to birders during the time we were there due to snowdrifts and/or flooding. For my first time ever, the ice never melted at the Churchill River Mouth, so it was a very unusual year. This was the only tour of my 24 in which I could never get to Twin Lakes or out to Cape Merry and yet we did extremely well. I have only been keeping records for mammals during the last eighteen years; therefore, on page 10, the third column labeled "**Last 18 Years**" indicates how many of our last EIGHTEEN tours have seen each mammal species.

Those of you with little vacation time each year can take these tours on separate years and those with more time can combine them for a tremendous adventure seeing breeding birds and many species of mammals as spring bursts forth around you.

SOUTHERN MANITOBA & CHURCHILL TOUR 1

| | Both Tours | All 24 Years | S. Manitoba | Churchill |
|----|---------------------------------|--------------|-------------|-----------|
| 1 | FAMILY ANATIDAE | | | |
| 2 | x | 3 | x | x |
| 3 | x | 24 | x | x |
| 4 | x | 9 | x | x |
| 5 | | 1 | | |
| 6 | | ? | | |
| 7 | x | 24 | x | x |
| 8 | | | | |
| 9 | | | | |
| 10 | x | 24 | x | x |
| 11 | x | 24 | x | |
| 12 | x | 24 | x | x |
| 13 | | | | |
| 14 | x | 24 | x | x |
| 15 | x | 23 | x | |
| 16 | x | 24 | x | x |
| 17 | x | 23 | x | |
| 18 | | 1 | | |
| 19 | x | 24 | x | x |
| 20 | x | 24 | x | x |
| 21 | | | | |
| 22 | x | 24 | x | x |
| 23 | x | 24 | x | |
| 24 | x | 24 | x | x |
| 25 | x | 24 | x | |
| 26 | | | | |
| 27 | x | 24 | x | x |
| 28 | x | 24 | x | x |
| 29 | | 5 | | |
| 30 | x | 24 | | x |
| 31 | | 18 | | |
| 32 | x | 24 | | x |
| 33 | x | 24 | | x |
| 34 | x | 24 | | x |
| 35 | x | 24 | | x |
| 36 | x | 23 | x | x |
| 37 | x | 24 | x | x |
| 38 | | 1 | | |
| 39 | x | 16 | x | |
| 40 | x | 24 | x | x |
| 41 | x | 24 | | x |
| 42 | x | 24 | x | |
| 43 | FAMILY PHASIANIDAE | | | |
| 44 | x | 20 | x | |
| 45 | x | 8 | x | |
| 46 | FAMILY TETRAONIDAE [new] | | | |
| 47 | x | 20,1 | x | |
| 48 | x | 22 | x | |
| 49 | x | 24 | | x |
| 50 | | | | |
| 51 | x | 24 | x | |
| 52 | | | | |

SOUTHERN MANITOBA & CHURCHILL TOURS 2

| | Both Tours | All 24 Years | S. Manitoba | Churchill |
|----|---------------------------------|--------------|-------------|-----------|
| 1 | FAMILY MELEAGRIDAE [new] | | | |
| 2 | x | 7 | x | |
| 3 | FAMILY GAVIIDAE | | | |
| 4 | x | 23 | | x |
| 5 | x | 24 | | x |
| 6 | x | 24 | x | |
| 7 | | | | |
| 8 | FAMILY PODICIPEDIDAE | | | |
| 9 | x | 24 | x | |
| 10 | x | 24 | x | x |
| 11 | x | 24 | x | |
| 12 | x | 23 | x | |
| 13 | x | 22 | x | |
| 14 | | 1 | | |
| 15 | FAMILY SULIDAE | | | |
| 16 | | | | |
| 17 | FAMILY PELECANIDAE | | | |
| 18 | x | 24 | x | |
| 19 | FAMILY PHALACROCORACIDAE | | | |
| 20 | x | 24 | x | |
| 21 | FAMILY ARDEIDAE | | | |
| 22 | x | 22 | x | |
| 23 | | 2 | | |
| 24 | x | 24 | x | |
| 25 | | 4 | | |
| 26 | | 3 | | |
| 27 | | | | |
| 28 | | | | |
| 29 | | 5 | | |
| 30 | | 1 | | |
| 31 | x | 23 | x | |
| 32 | | | | |
| 33 | FAMILY THRESKIORNITHIDAE | | | |
| 34 | | | | |
| 35 | | | | |
| 36 | x | 5 | x | |
| 37 | | | | |
| 38 | FAMILY CATHARTIDAE | | | |
| 39 | | | | |
| 40 | x | 17 | x | |
| 41 | FAMILY PANDIONIDAE [new] | | | |
| 42 | x | 24 | x | x |
| 43 | FAMILY ACCIPITRIDAE | | | |
| 44 | x | 23 | x | x |
| 45 | x | 24 | x | x |
| 46 | | 15 | | |
| 47 | | 13 | | |
| 48 | | 7 | | |
| 49 | | | | |
| 50 | x | 16 | x | |
| 51 | x | 24 | x | |
| 52 | x | 24 | x | x |

SOUTHERN MANITOBA & CHURCHILL TOURS 3

| | | Both Tours | All 24 Years | S. Manitoba | Churchill |
|----|--------------------------------|------------|--------------|-------------|-----------|
| 1 | *Ferruginous Hawk | | 14 | | |
| 2 | Rough-legged Hawk | x | 14 | x | x |
| 3 | Golden Eagle | | 3 | | |
| 4 | FAMILY FALCONIDAE | | | | |
| 5 | American Kestrel | x | 24 | x | |
| 6 | Merlin | x | 24 | x | x |
| 7 | Gyrfalcon | | 1 | | |
| 8 | Peregrine Falcon | x | 8 | x | x |
| 9 | Prairie Falcon | | 3 | | |
| 10 | FAMILY RALLIDAE | | | | |
| 11 | Yellow Rail | | 16 | | |
| 12 | *King Rail | | | | |
| 13 | Virginia Rail | x | 23,1 | x | |
| 14 | Sora | x | 24 | x | h |
| 15 | *Common Moorhen | | | | |
| 16 | American Coot | x | 24 | x | |
| 17 | FAMILY GRUIDAE | | | | |
| 18 | Sandhill Crane | x | 23 | x | x |
| 19 | *Whooping Crane | | | | |
| 20 | FAMILY CHARADRIIDAE | | | | |
| 21 | Black-bellied Plover | x | 7 | x | x |
| 22 | American Golden-Plover | x | 24 | | x |
| 23 | Semipalmated Plover | x | 24 | | x |
| 24 | Piping Plover | | | | |
| 25 | Killdeer | x | 24 | x | x |
| 26 | FAMILY RECURVIROSTRIDAE | | | | |
| 27 | *Black-necked Stilt | | 2 | | |
| 28 | American Avocet | x | 18 | x | |
| 29 | FAMILY SCOLOPACIDAE | | | | |
| 30 | Spotted Sandpiper | x | 24 | x | x |
| 31 | Solitary Sandpiper | | 16 | | |
| 32 | *Wandering Tattler | | | | |
| 33 | Greater Yellowlegs | | 12 | | |
| 34 | Willet | x | 24 | x | |
| 35 | Lesser Yellowlegs | x | 24 | | x |
| 36 | Upland Sandpiper | x | 24 | x | |
| 37 | *Eskimo Curlew [E] | | | | |
| 38 | Whimbrel | x | 24 | | x |
| 39 | *Long-billed Curlew | | | | |
| 40 | Hudsonian Godwit | x | 24 | | x |
| 41 | Marbled Godwit | x | 23 | x | |
| 42 | Ruddy Turnstone | x | 18 | | x |
| 43 | Red Knot | | 2 | | |
| 44 | Sanderling | x | 10 | x | |
| 45 | Semipalmated Sandpiper | x | 17 | x | x |
| 46 | *Western Sandpiper | | | | |
| 47 | Least Sandpiper | x | 22 | | x |
| 48 | White-rumped Sandpiper | x | 13 | | x |
| 49 | Baird's Sandpiper | x | 9 | | x |
| 50 | Pectoral Sandpiper | | 5 | | |
| 51 | | | | | |
| 52 | | | | | |

SOUTHERN MANITOBA & CHURCHILL TOURS 4

| | | Both Tours | All 24 Years | S. Manitoba | Churchill |
|----|------------------------------------|------------|--------------|-------------|-----------|
| 1 | *Purple Sandpiper | | | | |
| 2 | Dunlin | x | 18 | x | x |
| 3 | *Curlew Sandpiper | | | | |
| 4 | Stilt Sandpiper | x | 24 | | x |
| 5 | Buff-breasted Sandpiper | | 1 | | |
| 6 | *Ruff | | | | |
| 7 | Short-billed Dowitcher | x | 24 | | x |
| 8 | Long-billed Dowitcher | | | | |
| 9 | Wilson's Snipe [new name] | x | 24 | x | x |
| 10 | American Woodcock | x | 2 | x | |
| 11 | Wilson's Phalarope | x | 23 | x | |
| 12 | Red-necked Phalarope | x | 24 | x | x |
| 13 | Red Phalarope | x | 5 | | x |
| 14 | FAMILY LARIDAE | | | | |
| 15 | *Black-legged Kittiwake | | 1 | | |
| 16 | *Ivory Gull | | | | |
| 17 | Sabine's Gull | | 5 | | |
| 18 | Bonaparte's Gull | x | 24 | x | x |
| 19 | *Black-headed Gull | | | | |
| 20 | *Little Gull | x | 22 | | x |
| 21 | *Ross's Gull | | 19 | | |
| 22 | *Laughing Gull | | | | |
| 23 | Franklin's Gull | x | 24 | x | |
| 24 | Black-tailed Gull | | | | |
| 25 | *Mew Gull | | 3 | | |
| 26 | Ring-billed Gull | x | 24 | x | x |
| 27 | *California Gull | x | 5 | x | |
| 28 | Herring Gull | x | 24 | x | x |
| 29 | Thayer's Gull | x | 16 | | x |
| 30 | *Iceland Gull | | 7 | | |
| 31 | *Lesser Black-backed Gull | x | 2 | x | |
| 32 | Slaty-backed Gull | | | | |
| 33 | Glaucous-winged Gull | x | 3 | | x |
| 34 | Glaucous Gull | x | 16 | | x |
| 35 | *Great Black-backed Gull | | | | |
| 36 | FAMILY STERNIDAE [new] | | | | |
| 37 | *Least Tern | | | | |
| 38 | Caspian Tern | x | 15 | x | |
| 39 | Black Tern | x | 24 | x | |
| 40 | *White-winged Tern | | | | |
| 41 | Common Tern | | 16 | | |
| 42 | Arctic Tern | x | 24 | | x |
| 43 | Forster's Tern | x | 24 | x | |
| 44 | FAMILY STERCORARIIDAE [new] | | | | |
| 45 | *Pomarine Jaeger | | 1 | | |
| 46 | Parasitic Jaeger | x | 24 | | x |
| 47 | Long-tailed Jaeger | | 3 | | |
| 48 | FAMILY ALCIDAE | | | | |
| 49 | *Dovekie | | | | |
| 50 | *Black Guillemot | | 5 | | |
| 51 | *Ancient Murrelet | | | | |
| 52 | | | | | |

SOUTHERN MANITOBA & CHURCHILL TOURS 5

| | | Both Tours | All 24 Years | S. Manitoba | Churchill |
|----|--------------------------------|------------|--------------|-------------|-----------|
| 1 | FAMILY COLUMBIDAE | | | | |
| 2 | Rock Pigeon [new name] | x | 24 | x | Winnipeg |
| 3 | *Band-tailed Pigeon | | | | |
| 4 | *Eurasian Collared-Dove | x | 3 | x | |
| 5 | *White-winged Dove | | | | |
| 6 | Mourning Dove | x | 24 | x | |
| 7 | Passenger Pigeon [E] | | | | |
| 8 | FAMILY CUCULIDAE | | | | |
| 9 | *Yellow-billed Cuckoo | | | | |
| 10 | Black-billed Cuckoo | | 17,1 | | |
| 11 | FAMILY TYTONIDAE | | | | |
| 12 | *Barn Owl | | | | |
| 13 | FAMILY STRIGIDAE | | | | |
| 14 | Eastern Screech-Owl | | 2 | | |
| 15 | Great Horned Owl | x | 7 | | x |
| 16 | Snowy Owl | | | | |
| 17 | Northern Hawk Owl | | 12 | | |
| 18 | Burrowing Owl | | 5 | | |
| 19 | Barred Owl | | 2 | | |
| 20 | Great Gray Owl | x | 14 | x | |
| 21 | Long-eared Owl | x | 4 | x | |
| 22 | Short-eared Owl | x | 21 | | x |
| 23 | Boreal Owl | | 2 | | |
| 24 | Northern Saw-whet Owl | | 1 | | |
| 25 | FAMILY CAPRIMULGIDAE | | | | |
| 26 | Common Nighthawk | x | 18 | x | |
| 27 | Whip-poor-will | | h | | |
| 28 | FAMILY APODIDAE | | | | |
| 29 | Chimney Swift | x | 21 | x | |
| 30 | FAMILY TROCHILIDAE | | | | |
| 31 | Ruby-throated Hummingbird | x | 23 | x | |
| 32 | *Broad-tailed Hummingbird | | | | |
| 33 | *Rufous Hummingbird | | | | |
| 34 | FAMILY ALCEDINIDAE | | | | |
| 35 | Belted Kingfisher | | 20 | | |
| 36 | FAMILY PICIDAE | | | | |
| 37 | *Lewis's Woodpecker | | | | |
| 38 | Red-headed Woodpecker | x | 11 | x | |
| 39 | *Red-bellied Woodpecker | | | | |
| 40 | Yellow-bellied Sapsucker | x | 23 | x | |
| 41 | Downy Woodpecker | x | 15 | x | |
| 42 | Hairy Woodpecker | x | 23,1 | x | |
| 43 | American Three-toed W. [n. n.] | x | 23 | x | |
| 44 | Black-backed Woodpecker | x | 20 | x | |
| 45 | Northern Flicker (Y-shafted) | x | 24 | x | x |
| 46 | Pileated Woodpecker | x | 22 | x | |
| 47 | FAMILY TYRANNIDAE | | | | |
| 48 | Olive-sided Flycatcher | x | 21 | x | |
| 49 | Western Wood-Pewee | | 14 | | |
| 50 | Eastern Wood-Pewee | x | 21,1 | x | |
| 51 | Yellow-bellied Flycatcher | x | 11 | x | |
| 52 | | | | | |

SOUTHERN MANITOBA & CHURCHILL TOURS 6

| | | Both Tours | All 24 Years | S. Manitoba | Churchill |
|----|-----------------------------|------------|--------------|-------------|-----------|
| 1 | Alder Flycatcher | x | 24 | x | |
| 2 | *Willow Flycatcher | | 7 | | |
| 3 | Least Flycatcher | x | 24 | x | |
| 4 | Eastern Phoebe | x | 23 | x | |
| 5 | Say's Phoebe | x | 10 | x | |
| 6 | Great Crested Flycatcher | x | 23 | x | |
| 7 | Western Kingbird | x | 24 | x | |
| 8 | Eastern Kingbird | x | 24 | x | |
| 9 | *Scissor-tailed Flycatcher | | | | |
| 10 | FAMILY LANIIDAE | | | | |
| 11 | Loggerhead Shrike | x | 19 | x | |
| 12 | Northern Shrike | | 14 | | |
| 13 | FAMILY VIREONIDAE | | | | |
| 14 | *White-eyed Vireo | | | | |
| 15 | Yellow-throated Vireo | x | 14 | x | |
| 16 | Blue-headed Vireo [split] | x | 20 | x | |
| 17 | Warbling Vireo | x | 24 | x | |
| 18 | Philadelphia Vireo | x | 19 | x | |
| 19 | Red-eyed Vireo | x | 24 | x | |
| 20 | FAMILY CORVIDAE | | | | |
| 21 | Gray Jay | x | 24 | x | x |
| 22 | Blue Jay | x | 23,1 | x | |
| 23 | *Western Scrub-Jay | | | | |
| 24 | *Pinyon Jay | | | | |
| 25 | *Clark's Nutcracker | | | | |
| 26 | Black-billed Magpie | x | 24 | x | |
| 27 | American Crow | x | 24 | x | x |
| 28 | Common Raven | x | 24 | x | x |
| 29 | FAMILY ALAUDIDAE | | | | |
| 30 | Horned Lark | x | 24 | x | x |
| 31 | FAMILY HIRUNDINIDAE | | | | |
| 32 | Purple Martin | x | 24 | x | |
| 33 | Tree Swallow | x | 24 | x | x |
| 34 | *Violet-green Swallow | | | | |
| 35 | Nor. Rough-winged Swallow | x | 20 | x | |
| 36 | Bank Swallow | x | 24 | x | |
| 37 | Cliff Swallow | x | 24 | x | |
| 38 | Barn Swallow | x | 24 | x | |
| 39 | FAMILY PARIDAE | | | | |
| 40 | Black-capped Chickadee | x | 22 | x | |
| 41 | Boreal Chickadee | x | 24 | x | x |
| 42 | FAMILY SITTIDAE | | | | |
| 43 | Red-breasted Nuthatch | x | 22 | x | |
| 44 | White-breasted Nuthatch | x | 21,1 | x | |
| 45 | FAMILY CERTHIIDAE | | | | |
| 46 | Brown Creeper | | 12 | | |
| 47 | FAMILY TROGLODYTIDAE | | | | |
| 48 | *Rock Wren | | 1 | | |
| 49 | *Carolina Wren | | | | |
| 50 | House Wren | x | 24 | x | |
| 51 | Winter Wren | x | 10,1 | x | |
| 52 | | | | | |

SOUTHERN MANITOBA & CHURCHILL TOURS 7

| | | Both Tours | All 24 Years | S. Manitoba | Churchill |
|----|-----------------------------------|------------|--------------|-------------|-----------|
| 1 | Sedge Wren | x | 24 | x | |
| 2 | Marsh Wren | x | 24 | x | |
| 3 | FAMILY REGULIDAE [new] | | | | |
| 4 | Golden-crowned Kinglet | x | 15 | x | |
| 5 | Ruby-crowned Kinglet | x | 24 | | x |
| 6 | FAMILY POLIOPTILIDAE [new] | | | | |
| 7 | *Blue-gray Gnatcatcher | | | | |
| 8 | FAMILY TURDIDAE [new] | | | | |
| 9 | *Northern Wheatear | | | | |
| 10 | Eastern Bluebird | x | 24 | x | |
| 11 | Mountain Bluebird | | 19 | | |
| 12 | *Townsend's Solitaire | | | | |
| 13 | Veery | x | 23,1 | x | |
| 14 | Gray-cheeked Thrush | x | 24 | | x |
| 15 | Swainson's Thrush | x | 24 | x | |
| 16 | Hermit Thrush | x | 20,1 | x | |
| 17 | Wood Thrush | | | | |
| 18 | American Robin | x | 24 | x | x |
| 19 | *Varied Thrush | | 1 | | |
| 20 | FAMILY MIMIDAE | | | | |
| 21 | Gray Catbird | x | 24 | x | |
| 22 | Northern Mockingbird | | h | | |
| 23 | *Sage Thrasher | | | | |
| 24 | Brown Thrasher | x | 21 | x | |
| 25 | *Curve-billed Thrasher | | | | |
| 26 | FAMILY STURNIDAE | | | | |
| 27 | European Starling | x | 24 | x | x |
| 28 | FAMILY MOTACILLIDAE | | | | |
| 29 | American Pipit | x | 23 | | x |
| 30 | Sprague's Pipit | x | 23 | x | |
| 31 | FAMILY BOMBYCILLIDAE | | | | |
| 32 | Bohemian Waxwing | | 16 | | |
| 33 | Cedar Waxwing | x | 23 | x | |
| 34 | FAMILY PARULIDAE [new] | | | | |
| 35 | *Blue-winged Warbler | | | | |
| 36 | Golden-winged Warbler | x | 16 | x | |
| 37 | Tennessee Warbler | x | 24 | x | |
| 38 | Orange-crowned Warbler | x | 24 | x | x |
| 39 | Nashville Warbler | x | 23 | x | |
| 40 | Northern Parula | | | | |
| 41 | Yellow Warbler | x | 24 | x | x |
| 42 | Chestnut-sided Warbler | x | 24 | x | |
| 43 | Magnolia Warbler | x | 22 | x | |
| 44 | Cape May Warbler | x | 22 | x | |
| 45 | *Black-throated Blue Warbler | | | | |
| 46 | Yellow-rumped (Myrtle) Warb. | x | 24 | x | x |
| 47 | *Black-throated Gray Warbler | | | | |
| 48 | Black-throated Green Warbler | x | 24 | x | |
| 49 | Blackburnian Warbler | x | 24 | x | |
| 50 | *Yellow-throated Warbler | | | | |
| 51 | Pine Warbler | | | | |
| 52 | *Prairie Warbler | | | | |

SOUTHERN MANITOBA & CHURCHILL TOURS 8

| | | Both Tours | All 24 Years | S. Manitoba | Churchill |
|----|---------------------------------|------------|--------------|-------------|-----------|
| 1 | Palm Warbler | x | 19 | x | x |
| 2 | Bay-breasted Warbler | x | 22 | x | |
| 3 | Blackpoll Warbler | x | 24 | | x |
| 4 | *Cerulean Warbler | | | | |
| 5 | Black-and-white Warbler | x | 23 | x | x |
| 6 | American Redstart | x | 24 | x | |
| 7 | *Prothonotary | | | | |
| 8 | *Worm-eating Warbler | | | | |
| 9 | *Swainson's Warbler | | | | |
| 10 | Ovenbird | x | 24 | x | |
| 11 | Northern Waterthrush | x | 24 | x | x |
| 12 | *Kentucky Warbler | | | | |
| 13 | Connecticut Warbler | x | 23 | | Winnipeg |
| 14 | Mourning Warbler | x | 24 | x | |
| 15 | Common Yellowthroat | x | 24 | x | |
| 16 | *Hooded Warbler | | | | |
| 17 | Wilson's Warbler | | 2 | | |
| 18 | Canada Warbler | x | 12 | x | |
| 19 | *Yellow-breasted Chat | | | | |
| 20 | FAMILY THRAUPIDAE [new] | | | | |
| 21 | *Summer Tanager | | | | |
| 22 | Scarlet Tanager | x | 8 | x | |
| 23 | *Western Tanager | | 1 | | |
| 24 | FAMILY EMBERIZIDAE [new] | | | | |
| 25 | *Green-tailed Towhee | | | | |
| 26 | Spotted Towhee [split] | | | | |
| 27 | Eastern Towhee [split] | | 9 | | |
| 28 | American Tree Sparrow | x | 24 | | x |
| 29 | Chipping Sparrow | x | 24 | x | |
| 30 | Clay-colored Sparrow | x | 24 | x | |
| 31 | *Brewer's Sparrow | | | | |
| 32 | *Field Sparrow | | | | |
| 33 | Vesper Sparrow | x | 24 | x | |
| 34 | Lark Sparrow | x | 21 | x | |
| 35 | Lark Bunting | | 1 | | |
| 36 | Savannah Sparrow | x | 24 | x | x |
| 37 | Grasshopper Sparrow | x | 24 | x | |
| 38 | Baird's Sparrow | | 20 | | |
| 39 | Le Conte's Sparrow | x | 22 | x | |
| 40 | Nelson's Sharp-tailed Spar. | x | 23 | x | |
| 41 | Fox Sparrow [Red/Taiga race] | x | 24 | | x |
| 42 | Song Sparrow | x | 24 | x | x |
| 43 | Lincoln's Sparrow | x | 24 | x | x |
| 44 | Swamp Sparrow | x | 24 | x | x |
| 45 | White-throated Sparrow | x | 24 | x | x |
| 46 | Harris's Sparrow | x | 24 | | x |
| 47 | White-crowned Sparrow | x | 24 | | x |
| 48 | *Golden-crowned Sparrow | | | | |
| 49 | Dark-eyed Junco | x | 24 | x | x |
| 50 | *McCown's Longspur | | | | |
| 51 | Lapland Longspur | x | 11 | | x |
| 52 | | | | | |

SOUTHERN MANITOBA & CHURCHILL TOURS 9

| | | Both Tours | All 24 Years | S. Manitoba | Churchill |
|----|----------------------------------|------------|--------------|-------------|-----------|
| 1 | Smith's Longspur | x | 24 | | x |
| 2 | Chestnut-collared Longspur | x | 24 | x | |
| 3 | Snow Bunting | x | 16 | | x |
| 4 | FAMILY CARDINALIDAE [new] | | | | |
| 5 | Northern Cardinal | | | | |
| 6 | Rose-breasted Grosbeak | x | 22,1 | x | |
| 7 | *Black-headed Grosbeak | | | | |
| 8 | *Lazuli Bunting | | | | |
| 9 | Indigo Bunting | x | 20 | x | |
| 10 | *Dickcissel | | | | |
| 11 | FAMILY ICTERIDAE [new] | | | | |
| 12 | Bobolink | x | 24 | x | |
| 13 | Red-winged Blackbird | x | 24 | x | Winnipeg |
| 14 | *Eastern Meadowlark | | | | |
| 15 | Western Meadowlark | x | 24 | x | |
| 16 | Yellow-headed Blackbird | x | 24 | x | |
| 17 | Rusty Blackbird | x | 24 | x | x |
| 18 | Brewer's Blackbird | x | 24 | x | |
| 19 | Common Grackle | x | 24 | x | |
| 20 | Brown-headed Cowbird | x | 24 | x | |
| 21 | Orchard Oriole | x | 15 | x | |
| 22 | Baltimore Oriole | x | 24 | x | |
| 23 | FAMILY FRINGILLIDAE | | | | |
| 24 | *Brambling | | | | |
| 25 | *Gray-crowned Rosy-Finch | | | | |
| 26 | Pine Grosbeak | x | 24 | | x |
| 27 | Purple Finch | x | 22 | x | |
| 28 | *House Finch | | 5 | | |
| 29 | Red Crossbill | | h | | |
| 30 | White-winged Crossbill | | 14 | | |
| 31 | Common Redpoll | x | 24 | | x |
| 32 | Hoary Redpoll | x | 24 | | x |
| 33 | Pine Siskin | x | 21 | x | |
| 34 | American Goldfinch | x | 24 | x | |
| 35 | Evening Grosbeak | x | 15,1 | x | |
| 36 | FAMILY PASSERIDAE | | | | |
| 37 | House Sparrow | x | 24 | x | x |
| 38 | *Eurasian Tree Sparrow | | | | |
| 39 | | | | | |
| 40 | | | | | |
| 41 | | | | | |
| 42 | | | | | |
| 43 | | | | | |
| 44 | | | | | |
| 45 | | | | | |
| 46 | | | | | |
| 47 | | | | | |
| 48 | | | | | |
| 49 | | | | | |
| 50 | | | | | |
| 51 | | | | | |
| 52 | | | | | |

SOUTHERN MANITOBA & CHURCHILL TOURS

10

| MAMMALS (only last 18 tours) | | Both Tours | Last 18 Years | S. Manitoba | Churchill |
|------------------------------|--|------------|---------------|-------------|-----------|
| 1 | WOODLAND CARIBOU <i>Rangifer tarandus caribou</i> | | 3 | | |
| 2 | BARREN GROUND CARIBOU <i>R. t. groenlandicus</i> | x | 9 | | x |
| 3 | MULE DEER <i>Odocoileus hemionus</i> | | 4 | | |
| 4 | WHITE-TAILED DEER <i>O. virginianus</i> | x | 18 | x | |
| 5 | MOOSE <i>Alces alces</i> | x | 14 | x | |
| 6 | ELK <i>Cervus canadensis</i> | x | 10 | x | |
| 7 | BISON <i>Bison bison</i> | x | 12 | x | |
| 8 | BELUGA or WHITE WHALE <i>Delphinapterus leucas</i> | | 16 | | |
| 9 | HARBOUR SEAL <i>Phoca vitulina</i> | x | 15 | | x |
| 10 | BEARDED SEAL <i>Erignathus barbatus</i> | | 10 | | |
| 11 | RINGED SEAL <i>Phoca hispida</i> | | 8 | | |
| 12 | GRAY WOLF <i>Canis lupus</i> | | 2 | | |
| 13 | COYOTE <i>C. latrans</i> | x | 11 | x | |
| 14 | ARCTIC FOX <i>Alopex lagopus</i> | | 3 | | |
| 15 | RED FOX <i>Vulpes vulpes</i> | x | 17 | x | x |
| 16 | GREY FOX <i>Urocyon cinereoargenteus</i> | | | | |
| 17 | BLACK BEAR <i>Ursus americanus</i> | x | 14 | x | |
| 18 | POLAR BEAR <i>U. maritimus</i> | | 1 | | |
| 19 | RACCOON <i>Procyon lotor</i> | | 1 | | |
| 20 | STRIPED SKUNK <i>Mephitis mephitis</i> | x | 9 | x | |
| 21 | BADGER <i>Taxidea taxus</i> | | 2 | | |
| 22 | ERMINE <i>Mustela erminea</i> | | | | |
| 23 | LEAST WEASEL <i>M. nivalis</i> | | 7 | | |
| 24 | PINE MARTEN <i>Martes americana</i> | | 1 | | |
| 25 | FISHER <i>M. pennanti</i> | | 2 | | |
| 26 | MINK <i>M. vison</i> | | 1 | | |
| 27 | RIVER OTTER <i>Lutra canadensis</i> | x | 1 | | x |
| 28 | LYNX <i>Lynx canadensis</i> | | | | |
| 29 | WOODCHUCK or GROUNDHOG <i>Marmota monax</i> | | 10 | | |
| 30 | GRAY SQUIRREL <i>Spermophilus carolinensis</i> | x | 12 | x | |
| 31 | RICHARDSON'S GROUND-SQUIRREL <i>S. richardsonii</i> | x | 18 | x | |
| 32 | FRANKLIN'S GROUND-SQUIRREL <i>S. franklinii</i> | | 7 | | |
| 33 | THIRTEEN-LINED G-SQUIRREL <i>S. tridecemlineatus</i> | x | 18 | x | |
| 34 | RED SQUIRREL <i>Tamiasciurus hudsonicus</i> | x | 18 | x | x |
| 35 | NORTHERN FLYING SQUIRREL <i>Glaucomys sabrinus</i> | | | | |
| 36 | EASTERN CHIPMUNK <i>Tamias striatus</i> | | 10 | | |
| 37 | LEAST CHIPMUNK <i>Eutamias minimus</i> | x | 5 | x | |
| 38 | NORTHERN POCKET GOPHER <i>Thomomys talpoides</i> | | | | |
| 39 | PORCUPINE <i>Erethizon dorsatum</i> | | 3 | | |
| 40 | BEAVER <i>Castor canadensis</i> | x | 17 | x | x |
| 41 | COLLARED LEMMING <i>Dicrostonyx groenlandicus</i> | | 3 | | |
| 42 | BROWN LEMMING <i>Lemmus sibiricus</i> | | | | |
| 43 | Many MOUSE and/or VOLE species | x | 15 | x | |
| 44 | MUSKRAT <i>Ondatra zibethicus</i> | x | 18 | x | x |
| 45 | EASTERN COTTONTAIL <i>Sylvilagus floridanus</i> | x | 15 | x | |
| 46 | ARCTIC HARE <i>Lepus arcticus</i> | | 11 | | |
| 47 | SNOWSHOE HARE <i>L. americanus</i> | x | 18 | x | x |
| 48 | WHITE-TAILED JACKRABBIT <i>L. townsendii</i> | x | 17 | x | x |
| 49 | BATS 6 species | | | | |
| 50 | SHREWS 6 species | | 2 | | |
| 51 | | | | | |
| 52 | | | | | |