

AMAZON RIVER CRUISE

A BIRDING & NATURAL HISTORY ODYSSEY IN NORTHEASTERN PERU

JANUARY 20 - 28, 2007

LEADERS:

STEVE HILTY

ANDREW WHITTAKER

DAVID ASCANIO

COMPILED BY: STEVE HILTY

**VICTOR EMANUEL NATURE TOURS, INC.
2525 WALLINGWOOD DRIVE, SUITE 1003
AUSTIN, TX 78746
WWW.VENTBIRD.COM**

TOUR REPORT
AMAZON RIVER CRUISE
A BIRDING AND NATURAL HISTORY ODYSSEY IN NORTHEASTERN PERU
January 20-28, 2007

Leaders: Steve Hilty, Andrew Whittaker, and David Ascanio

By Steve Hilty

In such a large and diverse avifauna as that of the Iquitos area, much of one's enjoyment comes from the sum of visiting the many different habitats in which birds live and in observing their behaviors, their unusual and often novel songs and duets, and their breeding activities. In a way, this is more important than numbers on a list. The great complexity and diversity of a rainforest avifauna is, perhaps, better illustrated in western Amazonia than anywhere else in the world. After spending a week searching for some of the avifaunal pieces in this greatest of all natural jigsaw puzzles, we came to appreciate, a little better, how this diversity fits together. And, not all the pieces are in the forest. A rich and varied river island fauna, some long distance migrants, and soil and water types strongly influence the natural vegetation and, in turn, the birds that live in these habitats.

The weather during our trip was somewhat rainy, but generally quite pleasant—in short, what you'd expect in the rainforest. Rain showers were mostly during midday breaks or at night, interfered little with our activities and, overall, kept temperatures cool and pleasant.

Near the end of the trip we also enjoyed two land-based outings around the Suite del Marañon and the rainforest walkway there. While not as high or as long as the one operated on the lower Río Napo, this one is, nevertheless, a marvel of engineering in an environment not kind to longevity. I would be the first to admit that one's first trip across any elevated walkway is both exhilarating and frightening, but confidence builds quickly. For sheer access to upper levels within a tropical avifauna—in this case forest midlevel—a walkway is unparalleled.

For decades the Iquitos areas has been under intense pressure from hunting and trapping of birds and mammals for food, and it has been a supplier of caged wildlife and wildlife products for international markets. The results of this history of persecution are immediately obvious to naturalists—species that are edible, or have value for their hides, feathers, or for cage purposes are absent or rare. More recently, selective cutting of trees for lumbering has become a problem, even in such remote areas as the upper Río Tapiche, which we visited. This, combined with a dramatic (almost frightening) increase in human population during this same period of time suggests a future of hard decisions and discipline if Iquitos is to remain as wild as it is now, much less return to its more pristine earlier condition. Still, the Iquitos area remains one of the top rainforest destinations anywhere in the New World with an overall diversity that may just be the highest in the world.

This list includes the birds and mammals observed on our January 2007 Amazon River Cruise on the Ríos Amazon, Ucayali, Tapiche and Marañon.

Asterisk (*) = heard only

Boldface and underline: scarce, infrequently seen or of special interest

BIRD LIST: Amazonian River Cruise

*Great Tinamou, *Tinamus tao*
*White-throated Tinamou, *Tinamus guttatus*
*Cinereous Tinamou, *Crypturellus cinereus*
*Undulated Tinamou, *Crypturellus undulates*
*Variegated Tinamou, *Crypturellus variegatus*
Neotropic Cormorant, *Phalacrocorax brasilianus*
Capped Heron, *Pilherodius pileatus*
Cocoi Heron, *Ardea cocoi*
Great Egret, *Ardea alba*
Little Blue Heron, *Egretta caerulea*
Snowy Egret, *Egretta thula*
Cattle Egret, *Bulbulcus ibis*
Striated Heron, *Butorides striatus*
Black-crowned Night-Heron, *Nycticorax nycticorax*
Rufescent Tiger-Heron, *Tigrisoma lineatum*
Green Ibis, *Mesembrinibis cayennensis*
Horned Screamer, *Anhima cornuta*
Muscovy Duck, *Cairina moschata*
Black Vulture, *Coragyps atratus*
Turkey Vulture, *Cathartes aura*
Lesser Yellow-headed Vulture, *Cathartes burrovianus*
Greater Yellow-headed Vulture, *Cathartes melambrotus*
King Vulture, *Sarcoramphus papa*
Osprey, *Pandion haliaetus*
Gray-headed Kite, *Leptodon cayanensis*
Hook-billed Kite, *Chondrohierax uncinatus*
Swallow-tailed Kite, *Elanoides forficatus*
Slender-billed Kite, *Rostrhamus sociabilis*
Double-toothed Kite, *Harpagus bidentatus*
Plumbeous Kite, *Ictinia plumbea*
Bicolored Hawk, *Accipiter bicolor*
Crane Hawk, *Geranospiza caerulescens*
Slate-colored Hawk, *Leucopternis schistaceus*
Great Black Hawk, *Buteogallus urubitinga*
Black-collared Hawk, *Busarellus nigricollis*
Gray Hawk, *Buteo nitida*
Roadside Hawk, *Buteo magnirostris*
Ornate Hawk-Eagle, *Spizaetus ornatus*
Black Caracara, *Daptrius ater*
Red-throated Caracara, *Daptrius americanus*
Yellow-headed Caracara, *Milvago chimachima*
Laughing Falcon, *Herpetotheres cachinnans*
Bat Falcon, *Falco ruficularis*

Peregrine Falcon, *Falco peregrinus*
 Speckled Chachalaca, *Ortalis guttata*
 *Wood-quail sp., *Odontophorus* sp.
Hoatzin, *Opisthocomus hoazin*
 *Limpkin, *Aramus guarauna*
 Gray-breasted Crake, *Laterallus exilis*
 Purple Gallinule, *Porphyrio martinica*
 Sungrebe, *Heliornis fulica*
 Sunbittern, *Eurypyga helias*
 Wattled Jacana, *Jacana jacana*
 Pied Plover (Lapwing), *Vanellus cayanus*
 Spotted Sandpiper, *Actitis macularia*
 Large-billed Tern, *Phaetusa simplex*
 Yellow-billed Tern, *Sterna superciliaris*
 Rock Pigeon, *Columba livia*
 Pale-vented Pigeon, *Columba cayennensis*
 Plumbeous Pigeon, *Columba plumbea*
 *Ruddy Pigeon, *Columba subvinacea*
 Ruddy Ground-Dove, *Columba pretiosa*
 White-tipped Dove, *Leptotila verreauxi*
 Gray-fronted Dove, *Leptotila rufaxilla*
Blue-and-yellow Macaw, *Ara ararauna*
 Scarlet Macaw, *Ara macao*
 Red-and-green Macaw, *Ara chloroptera*
 Chestnut-fronted Macaw, *Ara severa*
 Red-shouldered Macaw, *Orthopsittaca manilata*
 White-eyed Parakeet, *Aratinga leucophthalmus*
 Dusky-headed Parakeet, *Aratinga weddellii*
Painted (Red-crowned) Parakeet, *Pyrrhura picta*
 Blue-winged Parrotlet, *Forpus xanthopterygius*
 White-winged Parakeet, *Brotogeris versicolurus*
 Cobalt-winged Parakeet, *Brotogeris cyanopectus*
 Tui Parakeet, *Brotogeris sanctithomae*
 Black-headed Parrot, *Pionites melanocephala*
 Orange-cheeked Parrot, *Pionopsitta barrabandi*
 Short-tailed Parrot, *Graydidascalus brachyurus*
 Blue-headed Parrot, *Pionus menstruus*
 Festive Parrot, *Amazona festiva*
 Yellow-crowned Parrot, *Amazona ochrocephala*
 Orange-winged Parrot, *Amazona amazonica*
 Mealy Parrot, *Amazona farinosa*
 Squirrel Cuckoo, *Piaya cayana*
Black-bellied Cuckoo, *Piaya melanogaster*
 Little Cuckoo, *Piaya minuta*
 Greater Ani, *Crotophaga major*
 Smooth-billed Ani, *Crotophaga ani*
 *Tropical Screech-Owl, *Megascops choliba*

Ferruginous Pygmy-owl, *Glaucidium brasilianum*
 Gray (Common) Potoo, *Nyctibius griseus*
 Pauraque, *Nyctidromus albicollis*
 Ladder-tailed Nightjar, *Hydropsalis climacocerca*
 White-collared Swift, *Streptoprocne zonaris*
 Gray-rumped Swift, *Chaetura cinereiventris*
 Pale-rumped Swift, *Chaetura egregia*
 Short-tailed Swift, *Chaetura brachyura*
 Neotropical (Fork-tailed) Palm-Swift, *Reinarda squamata*
 Rufous-breasted Hermit, *Glaucis hirsute*
 White-bearded Hermit, *Phaethornis hispidus*
 Reddish Hermit, *Phaethornis ruber*
 Black-throated Mango, *Anthracothorax nigricollis*
 Blue-chinned Sapphire, *Chlorostilbon (Chlorestes) notatus*
 Fork-tailed Woodnymph, *Thalurania furcata*
 Olive-spotted Hummingbird, *Leucippus chlorocercus*
 Glittering-throated Emerald, *Amazilia fimbriata*
Long-billed Starthroat, *Heliomaster longirostris*
 Amazonian White-tailed Trogon, *Trogon viridis*
 Amazonian Violaceous Trogon, *Trogon violaceus*
 *Collared Trogon, *Trogon collaris*
 Blue-crowned Trogon, *Trogon curucui*
 Black-tailed Trogon, *Trogon melanurus*
 Ringed Kingfisher, *Ceryle torquata*
 Amazon Kingfisher, *Chloroceryle amazona*
 Green-and-rufous Kingfisher, *Chloroceryle inda*
Pygmy Kingfisher, *Chloroceryle aenea*
 *Blue-crowned Motmot, *Baryphthengus ruficapillus*
 White-eared Jacamar, *Galbalcyrhynchus leucotis*
 *jacamar sp., *Galbula sp (cyanescens or tombacea)*
 Paradise Jacamar, *Galbula dea*
 *White-necked Puffbird, *Notharchus macrorhynchos*
 Pied Puffbird, *Notharchus tectus*
 Black-fronted Nunbird, *Monasa nigrifrons*
 White-fronted Nunbird, *Monasa morphoeus*
 Swallow-winged Puffbird, *Chelidoptera tenebrosa*
 Scarlet-crowned Barbet, *Capito aurovirens*
 Gilded Barbet, *Capito auratus*
 Lemon-throated Barbet, *Eubucco richardsoni*
 Lettered Aracari, *Pteroglossus inscriptus*
 Chestnut-eared Aracari, *Pteroglossus castanotis*
Golden-collared Toucanet, *Selenidera reinwardtii*
 White-throated (Cuvier's) Toucan, *Ramphastos cuvieri*
Lafresnaye's Piculet, *Picumnus lafresnayi*
Plain-breasted Piculet, *Picumnus castelnau*
 Yellow-tufted Woodpecker, *Melanerpes cruentatus*
 Little Woodpecker, *Veniliornis passerinus*

Spot-breasted Woodpecker, *Chrysoptilus punctigula*
Scale-breasted Woodpecker, *Celeus grammicus*
Chestnut Woodpecker, *Celeus elegans*
Rufous-headed Woodpecker, *Celeus spectabilis* (Range extension)
Cream-colored Woodpecker *Celeus flavus*, *Celeus flavus*
*Ringed Woodpecker, *Celeus torquatus*
Crimson-crested Woodpecker, *Campephilus melanoleucus*
*Pale-legged Hornero, *Furnarius leucopus*
Bay (Pale-billed) Hornero, *Furnarius torridus* (Scarce and local)
Lesser Hornero, *Furnarius minor*
Dark-breasted Spinetail, *Synallaxis albigularis*
White-bellied Spinetail, *Synallaxis propinqua*
Parker's Spinetail, *Cranioleuca vulpecula*
Red-and-white Spinetail, *Certhiaxis vulpecula*
Orange-fronted Plushcrown, *Metopothrix aurantiacus*
*(Eastern) Striped Woodhaunter, *Hyloctistes subulatus*
Chestnut-winged Hookbill, *Ancistrops strigilatus*
*Olive-backed Foliage-gleaner, *Automolus infuscatus*
Plain-brown Woodcreeper, *Dendrocincla fuliginosa*
Wedge-billed Woodcreeper, *Glyphorhynchus spirurus*
*Olivaceous Woodcreeper, *Sittasomus griseicapillus*
Long-billed Woodcreeper, *Nasica longirostris*
Cinnamon-throated Woodcreeper, *Dendrexetastes rufigula*
*Strong-billed Woodcreeper, *Xiphocolaptes promeropirhynchus*
Striped Woodcreeper, *Xiphorhynchus obsoletus*
Spix's Woodcreeper, *Xiphorhynchus spixii*
Buff-throated Woodcreeper, *Xiphorhynchus guttatus*
Straight-billed Woodcreeper, *Xiphorhynchus picus*
Zimmer's Woodcreeper, *Xiphorhynchus*
*Lineated Woodcreeper, *Lepidocolaptes albolineatus*
Fasciated Antshrike, *Cymbilaimus lineatus*
*Great Antshrike, *Taraba major*
*Black-crested Antshrike, *Sakesphorus canadensis*
Barred Antshrike, *Thamnophilus doliatus*
*Plain-winged Antshrike, *Thamnophilus schistaceus*
Cinereous Antshrike, *Thamnomanes caesius*
*Pygmy Antwren, *Myrmotherula brachyura*
Amazonian Streaked-Antwren, *Myrmotherula multostriata*
Plain-throated Antwren, *Myrmotherula hauxwelli*
White-flanked Antwren, *Myrmotherula axillaris*
Gray Antwren, *Myrmotherula menetriesii*
*Dugand's Antwren, *Herpsilochmus dugandi*
Gray Antbird, *Cercomacra cinerascens*
Black-faced Antbird, *Myrmoborus myotherinus*
Warbling Antbird, *Hypocnemis cantator*
Band-tailed Antbird, *Hypocnemoides maculicauda*
Black-and-white Antbird, *Myrmochanes hemileucus*

Spot-winged Antbird, *Percnostola leucostigma*
 Plumbeous Antbird, *Myrmeciza hyperythra*
 *White-shouldered Antbird, *Myrmeciza melanoceps*
 *Black-throated Antbird, *Myrmeciza atrothorax*
 Scale-backed Antbird, *Hylophylax poecilinota*
 *Rufous-capped Antthrush, *Formicarius colma*
Rusty-belted Tapaculo, *Liosceles thoracicus*
 Screaming Piha, *Lipaugus vociferans*
Purple-throated Cotinga, *Porphyrolaema porphyrolaema*
Plum-throated Cotinga, *Cotinga maynana*
 Bare-necked Fruitcrow, *Gymnoderus foetidus*
 Purple-throated Fruitcrow, *Querula purpurata*
Amazonian Umbrellabird, *Cephalopterus ornatus*
 White-bearded Manakin, *Manacus manacus*
 White-crowned Manakin, *Dixiphia pipra*
 Blue-crowned Manakin, *Pipra coronata*
 Golden-headed Manakin, *Pipra erythrocephala*
Striped Manakin, *Machaeropterus regulus*
 Dwarf Tyrant-Manakin, *Tyranneutes stolzmanni*
 Wing-barred Piprites, *Piprites chloris*
 Greater (Várzea) Schiffornis, *Schiffornis major*
 *White-lored Tyrannulet, *Ornithion inerme*
 Yellow-crowned Tyrannulet, *Tyrannulus elatus*
 Forest Elaenia, *Myiopagis gaimardii*
 *Gray Elaenia, *Myiopagis caniceps*
 Small-billed Elaenia, *Elaenia parvirostris*
 Slender-footed Tyrannulet, *Zimmerius gracilipes*
Lesser Wagtail-Tyrant, *Stigmatura napensis*
 *Short-tailed Pygmy-Tyrant, *Myiornis ecaudatus*
 Double-banded-Pygmy-Tyrant, *Lophotriccus vitiosus*
 Spotted Tody-Tyrant, *Todirostrum maculatum*
 Yellow-browed Tody-Tyrant, *Todirostrum chrysocrotaphum*
 *Ringed Antpitta, *Corythopis torquata*
 *Yellow-olive Flycatcher (Flatbill), *Tolmomyias sulphurescens*
 Gray-crowned Flycatcher, *Tolmomyias poliocephalus*
 Yellow-breasted Flycatcher, *Tolmomyias flaviventris*
 *Eastern Wood Pewee, *Contopus virens*
 Drab Water Tyrant, *Ochthornis littoralis*
 White-headed Marsh-Tyrant, *Arundinicola leucocephala*
 Cinnamon Attila, *Attila cinnamomeus*
 *Bright-rumped Attila, *Attila spadiceus*
 White-eyed Attila, *Attila bolivianus*
 Short-crested Flycatcher, *Myiarchus ferox*
 Lesser Kiskadee, *Philohydor lictor*
 Great Kiskadee, *Pitangus sulphuratus*
 Boat-billed Flycatcher, *Megarynchus pitangua*
 Social Flycatcher, *Myiozetetes similis*

Gray-capped Flycatcher, *Myiozetetes granadensis*
 Streaked Flycatcher, *Myiodynastes maculatus*
 Piratic Flycatcher, *Legatus leucophaeus*
 Sulphury Flycatcher, *Tyrannopsis sulphurea*
 Tropical Kingbird, *Tyrannus melancholicus*
 Eastern Kingbird, *Tyrannus tyrannus*
 Chestnut-crowned Becard, *Pachyramphus castaneus*
 White-winged Becard, *Pachyramphus polychopterus*
 Black-capped Becard, *Pachyramphus marginatus*
 Cinereous Becard, *Pachyramphus rufus*
 Black-tailed Tityra, *Tityra cayana*
 Masked Tityra, *Tityra semifasciata*
 Brown-chested Martin, *Progne tapera*
 Gray-breasted Martin, *Progne chalybea*
 White-winged Swallow, *Tachycineta albiventer*
 White-banded Swallow, *Atticora fasciata*
 Bank Swallow, *Riparia riparia*
 Barn Swallow, *Hirundo rustica*
 Black-capped Donacobius, *Donacobius atricapillus*
 Thrush-like Wren, *Campylorhynchus turdinus*
 Coraya Wren, *Thryothorus coraya*
 Buff-breasted Wren, *Thryothorus leucotis*
 House Wren, *Troglodytes aedon*
 *White-breasted Wood-Wren, *Henicorhina leucosticta*
 Black-billed Thrush, *Turdus ignobilis*
 *Lawrence's Thrush, *Turdus lawrencii*
 *White-necked thrush, *Turdus albicollis*
 Violaceous Jay, *Cyanocorax violaceus*
 Red-eyed (Chivi) Vireo, *Vireo olivaceus*
 *Lemon-chested Greenlet, *Hylophilus thoracicus*
 *Gray-chested Greenlet, *Hylophilus semicinereus*
 Dusky-capped Greenlet, *Hylophilus hypoxanthus*
 Rufous-browed Pepper shrike, *Cyclarhis gujanensis*
 Purple-throated Euphonia, *Euphonia chlorotica*
 Thick-billed Euphonia, *Euphonia laniirostris*
 White-lored euphonia, *Euphonia chrysopasta*
 White-vented Euphonia, *Euphonia minuta*
 Rufous-bellied Euphonia, *Euphonia rufiventris*
Yellow Warbler, *Dendroica petechia*
 Blackpoll Warbler, *Dendroica striata*
 Magpie Tanager, *Cissopis leveriana*
 Orange-headed Tanager, *Thlypopsis sordida*
 Guira Tanager, *Hemithraupis guira*
 Hooded Tanager, *Nemosia pileata*
 Masked Crimson Tanager, *Ramphocelus nigrogularis*
 Silver-beaked Tanager, *Ramphocelus carbo*
 Blue-gray Tanager, *Thraupis episcopus*

Palm Tanager, *Thraupis palmarum*
 Paradise Tanager, *Tangara chilensis*
 Green-&-gold Tanager, *Tangara schrankii*
 Yellow-bellied Dacnis, *Dacnis flaviventer*
 Blue Dacnis, *Dacnis cayana*
 Purple Honeycreeper, *Cyanerpes caeruleus*
Swallow-Tanager, *Tersina viridis*
 1 by ship at Suite del Marañon; a migrant here,
 Caquetá Seedeater, *Sporophila muraliae*
 Chestnut-bellied Seedeater, *Sporophila castaneiventris*
 Chestnut-bellied (Lesser) Seed-Finch, *Oryzoborus angolensis*
 Red-capped Cardinal, *Paroaria gularis*
 Yellow-browed Sparrow, *Ammodramus aurifrons*
 Grayish Saltator, *Saltator coerulescens*
 Buff-throated Saltator, *Saltator maximus*
 Slate-colored (Grosbeak) Saltator, *Saltator (formerly Pitylus) grossus*
 *Blue-black Grosbeak, *Cyanocompsa cyanooides*
 Yellow-hooded Blackbird, *Chrysomus icterocephalus*
 Shiny Cowbird, *Molothrus bonariensis*
 Giant Cowbird, *Molothrus oryzivorus*
 Orange-backed Troupial, *Icterus croconotus*
 Yellow-rumped Cacique, *Cacicus cela*
 Red-rumped Cacique, *Cacicus haemorrhous*
 Solitary (Black) Cacique, *Cacicus solitarius*
 *Casqued Oropendola, *Clypicterus oseryi*
 Crested Oropendola, *Psarocolius decumanus*
 Green Oropendola, *Psarocolius viridis*
 Russet-backed Oropendola, *Psarocolius angustifrons*
 Olive Oropendola, *Psarocolius yuracares*
 Oriole Blackbird, *Gymnomystax mexicanus*

MAMMALS AND HERPS: Amazonian River Cruise

Sloths,

Brown-throated three-toed Sloth, *Bradypus variegatus*
 Southern Two-toed Sloth, *Choloepus didactylus*

Bats,

Fishing (or Bulldog) bats, *Noctilio spp.*
 Long-nosed Bat, *Rhynchonycteris naso*

Primates,

Pygmy Marmoset, *Cebuella pygmaea*
 Saddleback Tamarin, *Saguinus fasciollis*
 *Night Monkey, *Aotus sp.*
 Dusky Titi-Monkey, *Callicebus moloch*
 Common Squirrel Monkey, *Saimiri sciureus*

Equatorial Saki Monkey, *Pithecia aequatorialis*

Red Howler Monkey, *Alouatta seniculus*

Squirrels,

Northern Amazonian Red Squirrel, *Sciurus igniventris*

Amazonian Dwarf Squirrel, *Microsciurus flaviventer*

Procyonids,

Kinkajou, *Potos flavus*

Mustelids,

Southern River Otter, *Lutra longicauda*

Dolphins,

Pink River Dolphin, *Inia geoffrensis*

Gray Dolphin, *Sotalia fluviatilis*

Frogs,

Dart poison frog, *Dendrobates ventrimaculatus*

Giant Gladiator Treefrog, *Hyla boans*

Miscellaneous,

Lantern Bug

Rhinoceros Beetle

Pink-toed Tarantula

Lima Bird List:

January 27, 2007 3:00 to 5:15 p.m (roads and beaches crowded with weekend traffic)
Pantanos de Villa, Lima

Pied-billed Grebe, *Podilymbus podiceps*
Great Grebe, *Podiceps major*
Peruvian Pelican, *Pelecanus thagus*
Peruvian Booby, *Sula variegata*
Neotropic Cormorant, *Phalacrocorax olivaceus*
Great Egret, *Egretta alba*
Snowy Egret, *Egretta thula*
Little Blue Heron, *Egretta caerulea*
Striated Heron, *Butorides striatus*
Cattle Egret, *Bubulcus ibis*
Black-crowned Night-Heron, *Nycticorax nycticorax*
Puna Ibis, *Plegadis ridgwayi*
White-cheeked Pintail, *Anas bahamensis*
Cinnamon Teal, *Anas cyanoptera*
Black Vulture, *Coragyps atratus*
Turkey Vulture, *Cathartes aura*
American Kestrel, *Falco sparverius*
Plumbeous Rail, *Rallus sanguinolentus*
Common Gallinule (Moorhen), *Gallinula chloropus*
Slate-colored Coot (Andean Coot), *Fulica ardesiaca*
Black-necked Stilt, *Himantopus mexicanus*
Killdeer, *Charadrius vociferous*
Band-tailed Gull, *Larus belcheri*
Gray-headed Gull, *Larus cirrocephalus*
Franklin's Gull, *Larus pipixcan*
Common Tern, *Sterna hirundo*
Inca Tern, *Larosterna inca*
Feral Pigeon, *Columba livia*
Eared Dove, *Zenaida auriculata*
Pacific Dove, *Zenaida meloda* (formerly *asiatica*)
Croaking Ground-Dove, *Columbina cruziana*
Groove-billed Ani, *Crotophaga sulcirostris*
Amazilia Hummingbird, *Amazilia amazilia*
Wren-like Rushbird, *Phleocryptes melanops*
Many-colored Rush-Tyrant, *Tachuris rubrigastra*
Vermilion Flycatcher, *Pyrocephalus rubinus*
House Wren, *Troglodytes aedon*
Long-tailed Mockingbird, *Mimus longicaudatus*
Bananaquit, *Coereba flaveola*
Chestnut-throated Seedeater, *Sporophila telasco*
Rufous-collared Sparrow, *Zonotrichia capensis*